



FF882SLVSS



60.25" x 23.25" x 23.5" (H x W x D)

DISCONTINUED: For a similar unit, see the FF945SLV

Highlights:

Ideal 24 inch footprint offers large capacity in slim fit

True frost-free operation saves you maintenance by preventing icy buildup

Platinum cabinet with reversible stainless steel doors

Product Features:

Thin-line design	Limited space is no problem for our thin-line models, designed specifically for those hard-to-fit spots
Frost-free operation	No-frost convenience for reduced user maintenance
Adjustable shelves	Rearrange your refrigerator space to accommodate all shapes and sizes or remove shelves for a simple clean-up
Full freezer shelf	Offers additional options for organization
Door storage	Store large bottles right on the door for easy access
Stainless steel doors	True stainless steel covered doors for durable elegance in the kitchen
Clear crisper	Get the longest life and best taste out of produce by storing greens in a convenient slide drawer



FF882SLVSS Specifications:

Overview	
Height of Cabinet	60.25" (153 cm)
Width	23.25" (59 cm)
Depth	23.5" (60 cm)
Depth with door at 90°	45.5" (116 cm)
Capacity	8.86 cu.ft. (251 L)
Defrost Type	Frost-Free
Door	Stainless Steel
Cabinet	Platinum
US Electrical Safety	UL
Canadian Electrical Safety	ULC
Energy Usage/Year	369.0kWh/year
Voltage/Frequency	115 V AC/60 Hz
Shipping Weight	158.0 lbs. (72 kg)
Parts & Labor Warranty	1 Year
Compressor Warranty	5 Years
UPC	761101029900
Refrigerator-Freezer	
Door Swing	RHD
Reversible	Yes
Adjustable Shelves	Yes
Crisper Qty	1
Crisper Finish	Transparent
Crisper Cover	Glass
Interior Light	Yes
Refrigerator - Interior Height	35.25" (90 cm)
Refrigerator - Interior Width	19.25" (49 cm)
Refrigerator - Interior Depth	17.25" (44 cm)
Refrigerator - Shelf Type	Wire
Refrigerator - Shelf Qty	3
Refrigerator - Full Door Shelves	3
Refrigerator - Half Door Shelves	2
Freezer - Interior Height	13.75" (35 cm)
Freezer - Interior Width	18.75" (48 cm)
Freezer - Interior Depth	12.75" (32 cm)
Thermostat Type	Dial

Fan Type	Interior
Refrigerant Type	R134a
Level Legs	2
Wheels	2



