

SBC490BI7BFTWIN



34.5" x 23.63" x 24.88" (H x W x D)

DISCONTINUED: For a similar unit with a stainless steel frame and tap, see the SBC490BI7FRTWIN

Highlights:

Commercially approved for use in food service establishments

Flexible design allows built-in or freestanding use

Twin taps allow you to serve two different beers

Product Features:

Commercially approved	ETL-S Listed to NSF-18
Built-in capable	Make the best use of space by installing your appliance under the counter and flush with other cabinetry
Fully finished black cabinet	Allows the unit to be used freestanding
KIT 490 included	Complete tap system with 5 lb. CO2 tank and regulator, draft arm, Sankey American tap, connection hardware, and cleaning kit
Dual tap system	Twin taps let you serve two different types of beer from two quarter kegs
Brass draft tower	Striking style fit for any setting
Brass door frame	Slide a panel into this two-piece exposed brass door frame to match the unit to other cabinetry (panel size: 31" H x 23 3/8" W)



SBC490BI7BFTWIN Specifications:

Overview	
Height of Cabinet	34.5" (88 cm)
Width	23.63" (60 cm)
Depth	24.88" (63 cm)
Depth with door at 90°	47.0" (119 cm)
Capacity	6.4 cu.ft. (181 L)
Defrost Type	Automatic
Door	Brass Frame
Cabinet	Black
US Electrical Safety	UL
Canadian Electrical Safety	ULC
Sanitation	ETL-S
Amps	1.7
Voltage/Frequency	115 V AC/60 Hz
Shipping Weight	152.0 lbs. (69 kg)
Parts & Labor Warranty	1 Year
Compressor Warranty	5 Years
Kegeerator	
Door Swing	RHD
Reversible	No
Shelf Type	Wire
Shelf Qty	2
Thermostat Type	Dial
Fan Type	Exterior
Refrigerant	R134a
Refrigerant Amount	2.1 oz.
High Side PSI	280.0
Low Side PSI	88.0
Inter Height	29.0" (74 cm)
Interior Width	21.25" (54 cm)
Interior Depth	18.75" (48 cm)
Level Legs Qty	4

