

## SBC490BIFRTRIPLE



34.5" x 23.63" x 24.88" (H x W x D)

Built-in auto defrost commercial beer dispenser with triple tap system and stainless steel frame for custom panels

## **Highlights:**

Insert a custom panel on the door for the perfect look
Flexible design allows built-in or freestanding use
Designed to hold three Cornelius kegs or two 1/6 kegs

## **Product Features:**

Built-in capable	Make the best use of space by installing your appliance under the counter and flush with other cabinets
Fully finished black cabinet	Allows the unit to be used freestanding
Stainless steel door frame	Slide a panel into the frame to match your unit to other cabinets (panel size: 31" H x 23 3/8" W)
Triple tap system	Three taps allow you to serve three different brews from Cornelius kegs or two different makes from 1/6 sized kegs
KIT 490 included	Includes a 5lb. CO2 tank and regulator, draft arm, Sankey American tap, connection hardware, and cleaning kit
Automatic defrost	Reduced user maintenance with auto defrost operation
Adjustable thermostat	Manage the interior temperature with ease and accuracy STORCH, INC.   ISO 9001:2015 Certified
	JFL 718-89739Make 118 568 808 penser p. / J.





## **SBC490BIFRTRIPLE Specifications:**

Overview		
Height of Cabinet	34.5" (88 cm)	
Width	23.63" (60 cm)	
Depth	24.88" (63 cm)	
Depth with Handle	26.5" (67 cm)	
Depth with door at 90°	47.0" (119 cm)	
Capacity	6.4 cu.ft. (181 L)	
Defrost Type	Automatic	
Door	Panel-Ready	
Cabinet	Black	
US Electrical Safety	UL	
Canadian Electrical Safety	ULC	
Amps	1.7	
Voltage/Frequency	115 V AC/60 Hz	
Shipping Weight	152.0 lbs. (69 kg)	
Parts & Labor Warranty	1 Year	
Compressor Warranty	5 Years	
UPC	761101011271	
Kegerator		
Door Swing	RHD	
Reversible	No	
Shelf Type	Wire	
Shelf Qty	2	
Thermostat Type	Dial	
Fan Type	Exterior	
Refrigerant	R134a	
Refrigerant Amount	2.1 oz.	
High Side PSI	280.0	
Low Side PSI	88.0	
Inter Height	29.0" (74 cm)	
Interior Width	21.25" (54 cm)	
Interior Depth	18.75" (48 cm)	
Level Legs Qty	4	

