

## SBC490OSSSTB



51.38" x 23.63" x 25.5" (H x W x D)

DISCONTINUED: Replaced by SBC490OS

## **Highlights:**

U.L. approved for outdoor use, with three levels of weatherproofing in design

Complete 304 grade stainless steel construction for durable luxury

Includes everything you need for the perfect pour

## **Product Features:**

U.L. approved for outdoor use	Durable construction meets and exceeds U.L. requirements for safe outdoor operation	
Complete 304 grade stainless steel construction	Non-corrodible stainless steel lasts in any season	
Professional towel bar handle	A curved stainless steel handle adds function and elegance, providing more room for a comfortable grip	
KIT 490 included	Includes a 5lb. CO2 tank and regulator, draft arm, Sankey American tap, connection hardware, and cleaning kit	
Full-sized	Large interior accepts half, quarter, and mini (pony) kegs	
Ground Fault Circuit Interrupter	Our integrated GFCI exceeds U.L. requirements for safety by protecting your unit from shocks and circuit breaks	
Automatic defrost SUMMIT APPLIANCE DIVISION, FELIX STO	Reduced user maintenance with auto defrost operation	
,	718-893 MBA g FAY h 24h 127 187 temperatu ith Pase manda palaceura www.summitappliance.com	





## SBC490OSSSTB Specifications:

Overview		
Height of Cabinet	51.38" (131 cm)	
Width	23.63" (60 cm)	
Depth	25.5" (65 cm)	
Capacity	6.4 cu.ft. (181 L)	
Defrost Type	Automatic	
Door	Stainless Steel	
Cabinet	Stainless Steel	
US Electrical Safety	UL	
Canadian Electrical Safety	ULC	
Shipping Weight	152.0 lbs. (69 kg)	
Parts & Labor Warranty	1 Year	
Compressor Warranty	5 Years	
UPC	761101011349	
Kegerator		
Door Swing	RHD	
Reversible	No	



