



# SPR625OCS



34" x 23.63" x 23" (H x W x D)

DISCONTINUED: Replaced by SPR627OCS

## Highlights:

Durable construction for use in the outdoors

Flexible design allows built-in or freestanding use in 24" wide spaces

Factory installed lock provides security you can count on

## Product Features:

Built-in capable	Make the best use of space by installing your appliance under the counter
Fully finished cabinet	Allows the unit to be used freestanding in the outdoors
Stainless steel door	Durable construction with a professional look
Factory installed lock	Keyed lock for secure interior
Professional handle	Includes a full-length pro handle in brushed chrome
Automatic defrost	Reduced maintenance with auto defrost system
Digital thermostat	Electronic controls for precise temperature management, with temperature readout and controls externally located for added convenience
Recessed LED light	Elegant lighting with a convenient on/off switch on the exterior control panel
Internal fan	Fan-forced cooling ensures the unit is evenly cooled from top to bottom



## SPR625OSCSS Specifications:

Overview	
Height of Cabinet	34.0" (86 cm)
Width	23.63" (60 cm)
Depth	23.0" (58 cm)
Depth with Handle	25.0" (64 cm)
Depth with door at 90°	44.5" (113 cm)
Capacity	5.5 cu.ft. (156 L)
Defrost Type	Automatic
Door	Stainless Steel
Cabinet	Stainless Steel
US Electrical Safety	ETL
Canadian Electrical Safety	ETL-C
Energy Usage/Year	425.0kWh/year
Amps	2.0
Voltage/Frequency	115 V AC/60 Hz
Parts & Labor Warranty	1 Year
Compressor Warranty	5 Years
UPC	761101023229
Refrigerator Features	
Door Swing	RHD
Reversible	Yes
Shelf Type	Wire
Shelf Qty	4
Adjustable Shelves	Yes
Thermostat Type	Digital
Fan Type	Interior and Exterior
Refrigerant Type	R134a
Refrigerant Amount	2.83oz.
High Side PSI	270.0
Low Side PSI	103.0
Level Legs Qty	4
Interior Light	Yes
Dimensions	
Interior Height	25.75" (65 cm)
Interior Width	20.75" (53 cm)
Interior Depth	17.25" (44 cm)
Compressor Step Height	3.0" (8 cm)
Compressor Step Width	20.25" (51 cm)

Compressor Step Depth

